

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	328	399/2,154,296.ccls.	US- PGPUB; USPAT
2	BRS	L2	938	399/159,162.ccls.	US- PGPUB; USPAT
3	BRS	L3	933	2 not 1	US- PGPUB; USPAT
4	BRS	L4	449	399/298,223.ccls.	US- PGPUB; USPAT
5	BRS	L5	422	4 not (1 or 2)	US- PGPUB; USPAT
6	BRS	L6	622	399/302.ccls.	US- PGPUB; USPAT
7	BRS	L7	522	6 not (1 or 2 or 4)	US- PGPUB; USPAT
8	BRS	L8	310	399/110,112.ccls.	US- PGPUB; USPAT
9	BRS	L9	293	8 not (1 or 2 or 4 or 6)	US- PGPUB; USPAT
10	BRS	L10	677	399/111.ccls.	US- PGPUB; USPAT
11	BRS	L11	603	10 not (1 or 2 or 4 or 6 or 8)	US- PGPUB; USPAT
12	BRS	L12	115	358/1.4.ccls.	US- PGPUB; USPAT
13	BRS	L13	115	12 not (1 or 2 or 4 or 6 or 8 or 10)	US- PGPUB; USPAT
14	BRS	L14	1	"5347353".pn.	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	11	("4515460" "4847642" "4994858" "5070369" "5086318" "5117261" "5138389" "5160946" "5198864" "5257037" "5314774").PN.	US- PGPUB; USPAT; USOCR
16	BRS	L16	7	("5347353").URPN.	USPAT
17	BRS	L17	1	"5715505".pn.	USPAT
18	BRS	L18	13	("4531825" "5001028" "5070372" "5075730" "5084735" "5200285" "5206101" "5243392" "5339146" "5347353" "5370961" "5485256" "5561510").PN.	US- PGPUB; USPAT; USOCR
19	BRS	L19	3	("5715505").URPN.	USPAT
20	BRS	L20	1	"5828931".pn.	USPAT
21	BRS	L21	16	("4531825" "4990969" "5001028" "5070372" "5075730" "5084735" "5087945" "5200285" "5206101" "5243392" "5339146" "5347353" "5370961" "5485256" "5536609" "5561510").PN.	US- PGPUB; USPAT; USOCR
22	BRS	L22	3	("5828931").URPN.	USPAT
23	BRS	L23	38453	(photoconduct\$3 or photorecept\$3 or photosensitive or imag\$3) adj1 (member\$1 or drum\$1 or belt\$1 or carrier\$1)	US- PGPUB; USPAT
24	BRS	L24	238	23 with address\$4	US- PGPUB; USPAT
25	BRS	L25	804	(condition\$3 or discharg\$3) with ((reduc\$4 or eliminat\$3 or lower\$3) near2 electrostatic\$4)	US- PGPUB; USPAT
26	BRS	L26	28	23 with 25	US- PGPUB; USPAT
27	BRS	L27	34	23 same 25	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
28	BRS	L28	6	27 not 26	US- PGPUB; USPAT
29	BRS	L29	18125	imag\$3 adj1 frame\$1	US- PGPUB; USPAT
30	BRS	L30	135	23 with 29	US- PGPUB; USPAT
31	BRS	L31	71314	g03g015/00.ipc.	EPO; JPO
32	BRS	L32	21627	g03g015/01.ipc.	EPO; JPO
33	BRS	L33	32627	g03g021/00.ipc.	EPO; JPO
34	BRS	L34	39584	(photoconduct\$3 or photorecept\$3 or photosensitive or imag\$3) adj1 (member\$1 or drum\$1 or belt\$1 or carrier\$1)	EPO; JPO
35	BRS	L35	25	34 with address\$4	EPO; JPO
36	BRS	L36	67	34 and address\$4	EPO; JPO
37	BRS	L37	42	36 not 35	EPO; JPO
38	BRS	L38	15	37 and (31 or 32 or 33)	EPO; JPO
39	BRS	L39	148	(condition\$3 or discharg\$3) with ((reduc\$4 or eliminat\$3 or lower\$3) near2 electrostatic\$4)	EPO; JPO
40	BRS	L40	16	34 and 39	EPO; JPO
41	BRS	L41	132	39 not 40	EPO; JPO
42	BRS	L42	17	41 and (31 or 32 or 33)	EPO; JPO
43	BRS	L43	2628	imag\$3 adj1 frame\$1	EPO; JPO
44	BRS	L44	10	34 with 43	EPO; JPO
45	BRS	L45	16	34 and 43	EPO; JPO

	Type	L #	Hits	Search Text	DBs
46	BRS	L46	6	45 not 44	EPO; JPO
47	BRS	L47	22	43 and (31 or 32 or 33)	EPO; JPO
48	BRS	L48	18	47 not (44 or 45)	EPO; JPO
49	BRS	L49	20071	(31 or 32 or 33) and 34	EPO; JPO
50	BRS	L50	445	transfer\$4 with second with first with 34	EPO; JPO